

# THE NEW **Coleman** Kerosene MANTLE Lamp

**Two Mantles . .  
300 Candle Power**

**4 TO 20 TIMES  
MORE LIGHT  
than any  
Non-Pressure  
Kerosene Lamp**

Here's the newest and finest in kerosene lamps . . . a Kerosene Mantle Lamp by Coleman! It's a pressure type lamp that gives more light . . . better light . . . longer, more dependable service, at a lower cost. Always plenty of light for every need about the home. It's the kind of light that protects the sight.

- 1--It's a "Live" Light---a pressure light---no sluggish, yellow, wick-type flame.
- 2--More Light, Better Light---up to 300 candle power brilliance.
- 3--Safe---Can't spill fuel if tipped over; can't be filled while lighted.
- 4--No Glass Fuel Fount to Break---Sturdily built of heavy gauge brass and metal for safety and long life.
- 5--Inexpensive Mantles---Coleman Quality mantles; cost only 5 cents to 8 cents each, in pairs.
- 6--Clean---No greasy wicks to trim. No sooty chimneys to wash.
- 7--No Crawling Flame---No flicker, always a steady, pure-white brilliance; no watching, no adjusting.
- 8--Economical---Plenty of eye-saving light for one cent a night; 50 hours of service per gallon of fuel. Burns 4% kerosene and 96% air.
- 9--Modern in Design---New Style and Beauty, new Indian Bronze finish and an unusually fine quality parchment shade.
- 10--Guaranteed---by Coleman, the pioneer maker of pressure lighting appliances.

**Model No. 129** is equipped with the No. T44 long-service generator, which is operated by the rotary lever built-in the roto-type burner. Also uses gasoline for fuel, without any mechanical change. Has attractive, high-quality Parisienne Kid parchment shade with green, brown and gold decorations, which harmonize with the fount finished in Indian Bronze. Genuine Pyrex globe protects mantles.

Fuel capacity of fount, 2 pints, sufficient for 10 to 12



**Only a  
PRESSURE  
LAMP  
gives you  
ALL THE LIGHT  
YOU NEED**

**MODEL  
No. 129**


PATENT No. 1,973,184

hours of wonderful lighting service. Dimensions of shade: Diameter at bottom, 13 inches; height, 7 inches. Over-all height of lamp, 19½ inches. One lamp packed in carton, complete with shade, Pyrex globe, air pump and two double-strength, Silk-Lite mantles. Shipping weight, 7 pounds.

**Retail Price . . . . . \$6.75**

**No. 363** Decorated Parchment Shade for No. 129  
Lamp . . . . . **Retail Price 85c.**

# Coleman KEROSENE MANTLE Lamp Repair Parts





## Coleman Silk-Lite Mantles

The new, heavy duty Coleman SILK-LITE Mantle sets a new Quality Standard in the mantle manufacturing industry. It's the latest Coleman achievement in producing a superior Grade "A" Mantle. Actual scientific tests prove that these new Coleman Silk-Like Mantles last 2 to 4 times longer than ordinary mantles and produce as much as twice the light. They give the longest, best and lowest cost service.

The Coleman Silk-Lite is made of the best grade rayon fiber. It has the NEW TRIPLE LOCK WEAVE. It is correct in size and shape, and is thoroughly saturated with the best grades of light-giving chemicals mixed in just the right proportions.

These, and other important factors, are all combined with scientific accuracy to produce a mantle that is far superior in quality, strength and durability and to provide you with a mantle that is most economical to buy.

Retail Price.....½ dozen \$0.45 Dozen \$0.90



Parts Assembly for  
Gas Tip Cleaner  
On Lamp No. 129



No. T44  
Long  
Service  
Generator

This new, high efficiency generator has large carbon space which accommodates a wider range of fuels. Longer lasting, fewer changes, more economical to use, gives better and more dependable lighting service. Has cleaning needle which is operated by a rotary-lever. Keeps gas tip clean. Tip cleaning needle can be operated even while lamp is in use.

Retail Price ea. \$0.35

## Repair Parts List No. 129 Coleman Kerosene Mantle Lamp

Order by Number	NAME OF PART	Net Retail Price
T44	Generator and Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V") (118C299)	\$ .35
101-620	Valve Stem Packing	.05
104-132	Filler Plug Air Stem	.18
104-326	Mixing Chamber	.48
112-323	Burner Cap and Screens	.15
112-325	Burner Cap Screen	.06
118A304	Eccentric Block	.06
118B136	Filler Plug Gasket	.06
118B147	Handle Lock Nut	.09
118B218	Gas Tip (Marked "V")	.06
118B324	Burner Tube	.15
129-145	Handle	.18
129-164	Filler Plug Complete	.60
129-165	Fount Complete	3.00
129-307	Valve Body	.60
129-310	Preheater Cup	.15
129-335	Shade Holder Clamps (Packed)	.30
129-341	Finale	.36
129-342	Finale Nut	.12
129-343	Shade Support Rod	.09
129-353	Tip Cleaner Stem Complete	.24
129-365	Air Intake Tube	.45
129-399	Burner Complete	2.70
130-653	Valve Stem Complete	.30
132-355	(No. 355) Pyrex Glass Globe	.90
150-344	Shade Support Rod Nut	.03
216-509	Pump Leather	.09
242K910	Filling Can Complete	.45
410-585	Pump	.45
605-210	Jamb Nut	.03

When ordering repair parts or writing about this lamp, refer to "Model 129".



No. 355  
Globe

NO. 355 Pyrex Glass Globe for use on all 1935 Model Coleman Lamps; protects mantles from damage by flying insects. The Genuine Pyrex Glass Globes are used exclusively on Coleman Lamps and Lanterns.

Retail Price ea. \$0.90

# Coleman GASOLINE PRESSURE LAMPS

**300 Candle Power** of "Live" Pressure Light. Clear, steady-shining brilliance that protects the sight; enough for every need about the home. Nearest like natural daylight.

**Low Cost Operation.** Make and burn their own gas from any good grade of clean gasoline. Burn 4% gas to 96% air. Only a pressure type lamp gives so much light for so little cost.



**Long-Service Generators**... have more carbon space, fewer changes, more economical.

**Safe.** Fuel founts made of brass and steel...no glass to break ...can't be filled while lighted ... can't spill fuel if tipped over.

**Genuine Pyrex Glass Globes** ... an exclusive Coleman feature ... protect mantles.

## MODEL No. 132A

### Instant Lighting

Here's a Coleman Lamp that presents the finest in style, beauty and improved lighting service. It is just the lamp for those who want something "extra" in appearance, along with plenty of the best in eye-protecting light. High quality Parisienne Kid Parchment Shade is decorated in red, black and gold. Inner Pyrex Glass Globe protects mantles. Embossed

fount has built-in pump and attractively finished in two-tone Indian Bronze.

Equipped with new, long-service, No. T44 generator with tip cleaning needle, operated by a rotary lever built-in in the roto-type burner. Large size generator insures longer and better lighting service and greater economy; accommodates a wider range of fuel. Fuel capacity of fount, 3 pints, sufficient for 15 to 18 hours of 300 candle power, eye-saving radiance. Dimensions of shade: Diameter at bottom, 15 inches; height 8½ inches. Over-all height of lamp 19½ inches.

One lamp packed in carton, complete with shade, inner Pyrex globe; and two Coleman double-strength, Silk-Lite mantles. Shipping weight, 11 lbs.

Retail Price . . . . . \$7.95



## MODEL No. 133

### Instant Lighting

This is an attractive, popular little model that provides a world of pure-white light that makes the home bright and saves eye sight. It lights instantly with the touch of a match. Its Parisienne Kid Parchment Shade is attractively decorated in gold and reddish bronze to harmonize with the fount, which is finished in two-tone Indian Bronze. Has inner Pyrex glass globe to protect mantles.

Has the new No. T44 long-service generator with tip cleaning needle, which is operated by a rotary lever built-in the roto-type burner. This generator provides longer and better lighting service with fewer changes; economical to use. Fuel capacity of fount, 2 pints, sufficient for 10 to 12 hours of clear, 300 candle power brilliance. Diameter of shade at bottom, 13 inches; height of shade 7 inches. Over-all height of lamp 19½ inches.

One lamp packed in carton, complete with Pyrex globe, shade, pump, two double-strength Coleman Silk-Lite mantles. Shipping weight, 8 lbs.

Retail Price . . . . . \$6.90

## MODEL No. 134P . . Match Lighting

Here's a genuine Coleman lamp priced within the reach of everybody. It is match-generating, of the famous Quick-Lite type. Produces full 300 candle power brilliance of clear, steady, pure-white light. Good looking, too,

with its high quality Parisienne Kid Parchment Shade, attractively decorated in silver and black to match its handsome Silvertone finished fount. Inner Globe of genuine Pyrex protects mantles. Has Roto-Type Burner and No. T44 long-service generator, to assure continuous and dependable lighting service at remarkably low cost. Fuel capacity, 2 pints, enough for 10 to 12 hours of soft, mellow, eye-protecting light. Diameter of shade at bottom, 13 inches; height of shade, 7 inches. Over-all height of lamp 19 inches.



**No. 134P Lamp** (complete) packed in carton with Parchment shade, Pyrex Globe, Pump and two double-strength Coleman Silk-Lite Mantles. Shipping weight 7 pounds.

Retail Price . . . . . \$5.70

**No. 134 Lamp** only less shade and globe, furnished with Pump and two double-strength Coleman Silk-Lite Mantles.

Retail Price . . . . . \$3.95

## SHADES AND GLOBES

Shades for the 1935 Models of Coleman Lamps are of an unusually high quality. The material of which they are made is known as Parisienne Kid Parchment. They are decorated to harmonize with the beautiful two-tone finishes of the lamps . . . give a soft, eye-comforting glow to the radiance of the Coleman Lamp.


**No. 362, Shade** for No. 132A Lamp, 15 inches in diameter. Retail Price, each . . \$1.00

**No. 364, Shade** for No. 133 Lamp, 13 inches in diameter. Retail Price, each . . 85c.

**No. 361, Shade** for No. 134P Lamp, 13 inches in diameter. Retail Price, each . . 85c.

**No. 355 Pyrex Glass Globe** for use on all 1935 Model Lamps; protects mantles from damage by flying insects. The Genuine Pyrex Glass Globes are used exclusively on Coleman Lamps and Lanterns.

**No. 355 Pyrex Glass Globe** . . . . . Retail Price, each 90c.




SHADE No. 361



GLOBE No. 355


# Coleman Lamp Repair Parts

## Parts for No. 132A Lamp




## Pump Parts Illustration


## Parts for No. 134P Lamp



## Parts Assembly for Gas Tip Cleaner for Lamp Nos. 132A, 133, 134P




## Parts for No. 133 Lamp



## Coleman Silk-Lite Mantles

New Grade "A," high quality mantle—made of especially treated Rayon fibre—Triple lock weave. Exceptionally sturdy, greater flexibility, last longer, gives more and better light—the most economical mantle to use.



Retail price...½ doz. \$0.45; doz. \$0.90

## No. T44 Long Service Generator



This new, high efficiency generator has large carbon space which accommodates a wider range of fuels. Longer lasting, more economical to use, gives better and more dependable lighting service. Has cleaning needle which is operated by a rotary-lever. Keeps gas tip clean. Tip cleaning needle can be operated even while lamp is in use.

Retail Price ea. \$0.35

## Parts Lists for Lamps Nos. 132A, 133, 134P

Part No.	NAME OF PART	Net Retail Price
T44	Generator and Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V") (118C299)	\$0.35
101 - 620	Valve Stem Packing	2 for .06
104 - 132	Filler Plug Air Stem	.18
104 - 326	Mixing Chamber	.48
104 - 441	Ball Nut	.18
112 - 323	Burner Cap and Screens	.15
112 - 325	Burner Cap Screen	2 for .06
118A 304	Eccentric Block	.06
118B 108	Fuel Tip Cleaning Needle Spring	.03
118B 136	Filler Plug Gasket	2 for .06
118B 147	Handle Lock Nut	.09
118B 218	Gas Tip (Marked "V")	.06
118B 322	Air Intake Tube	.36
118B 324	Burner Tube	.15
118B 620	Valve Stem Packing	.03
129 - 164	Filler Plug Complete	.60
129 - 335	Shade Holder Clamps (Packed)	.30
129 - 341	Finale	.36
129 - 342	Finale Nut	.12
129 - 343	Shade Support Rod	.09
129 - 353	Tip Cleaner Stem Complete	.24
130 - 341	Screw	.09
130 - 653	Valve Stem Complete	.30
132 - 138	Fuel Tip Needle and Head	.06
132 - 146	Fuel and Air Wire (Fuel Tip Marked "S")	.30
132 - 147	Handle Lock Nut	.09
132 - 148	Fuel and Air Wire (With Fuel Tip and Fuel Needle) (Fuel Tip Marked "S")	.60
132 - 355	(No. 355) Pyrex Glass Globe	.90
132 - 520	Pump Plunger Complete (Less Air Stem)	.60
132 - 653	Valve Stem Complete	.45
132A 140	Filler Plug Complete	.48
132A 145	Handle	.18
132A 165	Fount Complete	6.00
132A 307	Valve Body	.60
132A 399	Burner Complete	3.00
132A 657	Fuel Valve Complete (Fuel Tip Marked "S")	1.20
133 - 145	Handle	.18
133 - 165	Fount Complete	3.00
134 - 145	Handle	.18
134 - 165	Fount Complete	3.00
134 - 399	Burner Complete	2.70
150 - 344	Shade Support Rod Nut	.03
216 - 509	Pump Leather	2 for .09
216 - 532	Air Stem	.15
216 - 538	Check Valve	.15
410 - 585	Pump	.45
605 - 210	Jamb Nut	.03

## Filter Funnel



Removes dirt, water and other impurities from fuel used in pressure-gas lamps, lanterns, stoves, heaters, etc. Copper plated, non-corrosive. Equipped with a fine brass wire strainer and special filtering fabric.

No. 0, diameter 2½", for lamps and lanterns. Shipping wt., singles 5 ozs.; half dozen, 1 pound.

Retail price ea. \$0.45

No. 1, diameter 5" for heaters and stoves. Shipping wt., singles, 9 ozs.; half dozen, 4½ pounds.

Retail price ea. \$0.90

Always use a good grade of fresh, clean gasoline free of anti-knock compounds.

# THE NEW Coleman KEROSENE MANTLE Lanterns

## "The Lights of a Thousand Uses"

- Produce Up to 300 Candlepower of "Live" Pressure Light.
- Just the Light for Any Night—in Any Kind of Weather.
- Genuine Pyrex Glass Globe, an Exclusive Feature.
- Wind-Proof—Rain-Proof—Insect-Proof.
- Burn 96% Air and Only 4% Kerosene.
- Sturdily Built for Long, Dependable Service —

**Model No. 235** —Here is the new high candlepower Coleman Kerosene Mantle Lantern, a worthy companion to the famous Coleman Gasoline Lanterns. This big, new 2-mantle model burns only 4% Kerosene and 96% air. It produces up to 300 candlepower "live" pressure brilliance—plenty of light for any job, any night, in any kind of weather.

Has T44 Generator for better and longer lighting service. Rotary lever operates generator tip cleaning needle. Genuine Pyrex glass globe an exclusive feature; protects mantle; makes lantern insect-proof, wind-proof, rain-proof. Hand-operated Filler Plug and built-in Pump. Fount is finished in green lacquer; holds 2 pints of fuel, enough for 10 to 12 hours lighting service. Gasoline may also be used as fuel if desired. Ventilator Top of green porcelain enamel finish is 5¾-in. in diameter. Over-all height of lantern, 14½-in.

Packed one in carton, complete with Pyrex Globe, two Coleman Silk-Lite Mantles, wrench. Shipping weight, 6 pounds.

U. S. Retail Price..... **\$7.45**



Model No. 235



Model No. 234

**Model No. 234** —The handiest and best small lantern on the market! Burns kerosene; one-mantle type, produces up to 175 candlepower of brilliant "live" pressure light. If desired, gasoline may also be used as fuel. A popular lantern for sportsmen—for hunting, fishing, touring, camping, etc. Also a fine light for general use on farms, around docks, warehouses, packing sheds, etc. Has T66 Generator. Rotary lever operates gas tip cleaning needle.

The globe is of genuine Pyrex heat-resisting glass—protects mantle against insects, wind, rain, and snow. Fount, finished in green lacquer, holds 1⅓ pints of fuel. Ventilator Top, 4¾-in. in diameter, is finished in green porcelain enamel. Over-all height of lantern, 11½-in.


Packed one in carton, complete with Globe, one Coleman Silk-Lite Mantle with triple-lock weave. Shipping weight, 4 pounds.

U. S. Retail Price..... **\$5.95**

**Burn Kerosene or Gasoline Fuel**

## COLEMAN KEROSENE LANTERN REPAIR PARTS

MODEL No. 234



Order by Number	Name of Part	Net Retail Price
T66	Generator (Gas Tip Marked "6") (242A299)	\$ .40
550	Pyrex Glass Globe (Bulged Type)	.75
129 - 310	Preheater Cup	.15
216 - 509	Pump Leather	2 for .09
234 - 165	Fount complete	3.00
234 - 485	Ventilator	.75
234 - 489	Globe Base Rest	.15
234 - 657	Valve Complete	1.50
242 - 140	Filler Plug complete	.30
242 - 218	Gas Tip (Marked "6")	.06
242 - 304	Eccentric Block	.06
242 - 323	Burner Cap and Screen	.30
242 - 324	Burner Tube	.15
242 - 353	Tip Cleaner Stem complete	.15
242 - 441	Ventilator Ball Nut	.06
242 - 603	Frame to Valve Connection Stud	.06
242 - 620	Valve Stem Packing	.03
242 - 653	Valve Stem complete	.30
242A370	Frame and Burner complete	1.50
242A423	Bail	.15
242A440	Ventilator Rod	.09
242B520	Pump Plunger complete (Less Air Stem)	.45
242B532	Air Stem	.15
242B538	Check Valve	.15
242K311	Spring Clip	.09
242K910	Filling Can complete	.30
603 - 136	Filler Plug Gasket	2 for .06
603 - 456	Hexagon Brass Nut (1/4"-18)	2 for .06
605 - 210	Jamb Nut	.03
605 - 950	Wrench	.15




## Coleman Filter Funnel

Removes dirt, water and other impurities from fuel. Copper plated, non-corrosive. Equipped with a fine brass wire strainer and special filtering fabric.

No. 0, diameter 2 1/2 inches, for lamps, lanterns and irons.

Each ..... **45c**

MODEL No. 235



Order by Number	Name of Part	Net Retail Price
T44	Generator & Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V") (118C299)	\$ .40
330	Pyrex Glass Globe (690-048)	.90
101 - 620	Valve Stem Packing	2 for .06
104 - 326	Mixing Chamber	.48
112 - 323	Burner Cap & Screens	.15
112 - 325	Burner Cap Screen	2 for .06
118A304	Eccentric Block	.06
118B136	Filler Plug Gasket	2 for .06
118B218	Gas Tip (Marked "V")	.06
118B324	Burner Tube	.15
129 - 310	Preheater Cup	.15
129 - 365	Air Intake Tube	.45
204 - 140	Filler Plug Complete	.09
216 - 509	Pump Leather	2 for .09
216 - 520	Pump Plunger Complete (Less Air Stem)	.60
216 - 532	Air Stem	.15
216 - 538	Check Valve	.15
220B328	Air Intake Tube Extension	.09
220B340	Ventilator Rod	.06
220B353	Tip Cleaner Stem Packed	.36
220B498	Frame & Bail	.90
220B950	Wrench	.15
223 - 910	Filling Can Complete	.30
235 - 165	Fount Complete	3.00
235 - 311	Spring Clip	.06
235 - 485	Ventilator	1.50
235 - 489	Globe Base Rest	.15
235 - 653	Valve Stem Complete	.30
235 - 657	Valve Complete	.75

## PYREX GLASS GLOBES

## An Exclusive Coleman Feature



No. 330—Pyrex heat-resisting, clear glass globe. For use on Gasoline Lanterns Nos. 220B and 228B and Kerosene Lantern No. 235. Height 5 1/4". Diameter, 4 7/8". Packed 1 in a carton. Shipping weight, 1 lb. Packed 6 in a carton. Shipping weight, 6 lbs.

Retail Price ..... **\$1.00**

No. 550—Pyrex Brand Globe, (Bulge Type). Same quality as No. 330. For use on Gasoline Lanterns Nos. 242A and 242 and Kerosene Lantern No. 234. Height, 4 1/4". Diameter at top and bottom, 3 1/2". Diameter in middle, 4 1/2". Packed 1 in a carton. Shipping weight, 14 oz. Packed 6 in a carton. Shipping weight, 4 pounds.

Retail Price ..... **\$0.75**



# Coleman Lanterns

## SUPPLY THE LIGHT FOR EVERY OUTDOOR NEED AT NIGHT

**300 CANDLE POWER**---Clear, steady-shining, dark-chasing brilliance for any lighting job at night. Not affected by wind, rain or storm.


**LOW COST OPERATION**---Make and burn their

**OVERSIZE GENERATORS**---have more carbon space, last longer, fewer changes, more economical. Regular equipment as specified.

**GENUINE PYREX GLASS GLOBES**---an exclusive Coleman feature. Regular equipment as specified.

**SAFE**---durably made of brass and steel---can't be filled while lighted, can't spill fuel even if tipped over.

own gas from any good grade of clean gasoline free of anti-knock compounds. Burn 4% gas to 96% air. Give more than 40 hours of dependable lighting service per gallon of fuel.



**Model No. 220B**  
Lights Instantly

A fine, big, powerful lantern that is always ready for every outdoor need regardless of weather. It's just the lantern for those who want the best. Produces 300 candlepower of wonderful far-reaching light. Roto-type Burner has built-in rotary lever which operates generator tip cleaning needle. Oversize generator gives longer and better lighting service. Genuine Pyrex glass globe. Fount is equipped with hand-operated filler plug and built-in pump. Diameter, 6 inches; fuel capacity, 2 pints, enough for 12 to 15 hours continuous service. Ventilator Top is 5 3/4 inches in diameter and porcelain enameled in green. Over-all height, 14 1/2 inches. One in carton complete with globe, two Coleman double-strength mantles and wrenches. Shipping weight, 6 lbs.

Retail Price.....\$7.45

**Model No. L427**  
Match Generating



This Quick-Lite Lantern for years has set the standard of quality, construction and dependable lighting service; always ready for use. Has regular Quick-Lite Burner, generates with two matches. Equipped with hand-operated filler plug; built-in pump. Fount is nickel plated; holds two pints of fuel. Has 5 1/4 inch top porcelain enameled in green. Mica Globe. Over-all height, 14 inches; fount diameter, 6 inches.

One in carton complete with mica globe, two Coleman double-strength mantles, Q99 generator, cleaning pick wrench. Shipping weight, 6 lbs.

Retail Price.....\$6.45



**Model No. 242A**  
Lights Instantly

Model 242A has new, heat-resisting, bulge-type, genuine Pyrex glass globe; porcelain ventilator top. Single mantle type, produces up to 175 candlepower of pure, white, steady shining radiance. Oversize generator gives longer and better lighting service.

Has Roto-Type Burner. Equipped with built-in pump; hand-operated filler plug. Nickel-plated fount, capacity 1 1/2 pints... enough for 7 to 9 hours' service. Height, 11 1/2 inches. Diameter of top, 4 3/4 inches; diameter of fount, 5 inches. Packed one in carton complete with globe, one Coleman Silk-Lite mantle. Shipping weight, 4 1/4 lbs.

Retail Price.....\$5.95

**Model No. 243**

Here's a new low-priced, single mantle lantern---a worthy companion to the Model No. 242A. Lights instantly.

Mica chimney. Blue enamel fuel fount and one piece blue porcelain canopy top. Has long lasting roto-type generator No. T66. Fount equipped with hand operated filler plug and built-in pump. Fount diameter, 5 inches; fuel capacity, 1 1/2 pints---enough for 7 to 9 hours' service.

Over-all height, 11 1/4 inches. Packed one in a carton complete with chimney, one Coleman Silk-Lite mantle. Shipping weight, 4 1/4 lbs.

Retail Price.....\$4.45



**Model No. 228B**  
Lights Instantly

This is the same Lantern as No. 220B but has large 8 3/4 inch Ventilator Top porcelain enameled in green, with under side in white to throw light downward. Especially suited for use in barns, warehouses, work shops, or any place where it is desired to have more concentrated light. Produces up to 300 candlepower brilliance. Nickel plated fount has two-pint fuel capacity, enough for 12 to 15 hours service. Genuine Pyrex glass globe protects mantles from wind, rain and flying insects. Sturdy Roto-type Burner with built-in rotary lever which operates generator tip cleaning needle; can be operated even when lantern is in use. One in carton complete with globe, two Coleman double-strength mantles and wrenches. Shipping weight, 7 1/4 lbs.

Retail Price.....\$7.95

**Handy Wall Hanger and Shield for Coleman Lanterns**


Portable---slots in iron bar fit over nail or screw heads, easily lifts off---may be used anywhere.



For use with Coleman Lanterns in barns, dairies, poultry houses, garages, etc. Model L427 Lantern equipped with shield and hanger is listed by Underwriters' Laboratories, File G521---the only gasoline lantern given such a listing. Porcelain enameled shield is durably made of heavy gauge metal, 11 inches in diameter and two inches high. Furnished with iron channel insulator and bracket strap. Shipping weight, 3 1/2 lbs.

**No. 204-480** Shield and Hanger complete.  
Retail Price.....\$1.80

# Coleman Lantern Repair Parts



No. 220B


220 B423—Bail	\$0.15
605 - 210—Jamb Nut	.03
605 - 950—Wrench	.15

## Nos. 220B and 228B, Instant-Lite Lanterns

Parts No.	NAME OF PART	Net Retail Price
T22	Generator Cleaning Needle (118B238)	\$ .15
T44	Generator and Gas Tip Cleaning Needle (Less Jamb Nut) (Gas Tip Marked "V") (118B299)	.40
104 - 326	Mixing Chamber	.48
112 - 323	Burner Cap and Screens	.15
118 B118	Fuel Tip (Marked "AB")	.06
118 B136	Filler Plug Gasket	.06
118 B138	Fuel Tip Cleaning Needle	.15
118 B144	Fuel Tip Protector and Screen	.15
118 B148	Fuel and Air Wire Complete (Fuel Tip Marked "AB")	.75
118 B218	Gas Tip (Marked "V")	.06
118 B324	Burner Tube	.15
118 B620	Valve Stem Packing	.03
203 - 340	Ventilator Rod	.06
203 - 441	Ventilator Ball Nut	.06
*204 - 485	Ventilator (Porcelain— $\frac{5}{8}$ inch Base)	1.50
216 - 509	Pump Leather	.09
216 - 520	Pump Plunger Complete (Less Air Stem)	.60
216 - 532	Air Stem	.15
216 - 538	Check Valve	.15
220 B140	Filler Plug Complete	.48
220 B165	Fount Complete	4.50
220 B357	Gas Tip Cleaner Complete, Assembled	.75
*220 B423	Bail	.15
220 B429	Globe Base Rest	.15
220 B497	Frame	.75
220 B653	Valve Stem Complete	.60
220 B657	Fuel Valve Complete	1.50
220 B950	Wrench (Small)	.15
†227 - 480	Ventilator (Porcelain— $\frac{8}{16}$ inch Base)	1.95

\*For Lantern Model No. 220B.

†For Lantern Model No. 228B.




No. L427

Q99—Coil Generator (Gas Tip Marked "Q") (104-299) \$ .35

## No. L427, Quick-Lite Lantern


Parts No.	NAME OF PART	Net Retail Price
101-324	Burner Tube	.15
104-218	Gas Tip (Marked "Q")	.06
104-317	Burner Support Coupling	.18
104-322	Air Intake Tube	.36
104-326	Mixing Chamber	.48
112-323	Burner Cap and Screens	.15
115-136	Filler Plug Gasket	.06
203-340	Ventilator Rod	.06
203-441	Ventilator Ball Nut	.06
203-498	Frame and Bail	.90
203-653	Valve Stem Complete	.30
204-140	Filler Plug Complete	.48
204-399	Burner Generator and Valve Complete Assm.	2.70
204-485	Ventilator (Porcelain— $\frac{5}{8}$ inch Base)	1.50
204-657	Fuel Valve Complete	.75
216-165	Fount Complete	4.20
216-509	Pump Leather	.09
216-520	Pump Plunger Complete (Less Air Stem)	.60
216-532	Air Stem	.15
216-538	Check Valve	.15
605-950	Wrench	.15

## No. 243, Instant-Lighting Lantern



Parts No.	NAME OF PART	Net Retail Price
T66	Generator (Gas Tip Marked "6") (242A299)	\$ .40
440	Mica Globe	.50
223 - 538	Pump Check Valve	.30
242 - 140	Filler Plug Complete	.30
242 - 218	Gas Tip (Marked "6")	.06
242 - 304	Tip Cleaner Eccentric Block	.06
242 - 353	Tip Cleaner Stem Complete	.15
242 - 518	Pump Leather Assembly	.15
242 - 520	Pump Plunger Complete	.45
242 - 603	Frame to Valve Connection Stud	.06
242 - 620	Valve Stem Packing	.03
242 - 653	Valve Stem Complete	.30
242A 148	Fuel and Air Wire Complete (Fuel Tip Marked "L")	.30
242A 423	Bail	.15
242A 657	Fuel Valve Complete	1.80
243 - 165	Fount Complete	2.40
243 - 323	Burner Tube, Cap and Screen	.30
243 - 338	Ventilator Pin	.06
243 - 370	Burner Complete	1.50
243 - 484	Ventilator	.75
243 - 489	Globe Base Rest	.15
603 - 136	Filler Plug Gasket 2 for	.06
603 - 456	Hexagon Brass Nut ( $\frac{1}{4}$ "-18)	.03
605 - 210	Jamb Nut	.03

## Nos. 242A and 242, Instant-Lite Lanterns



No. 242A

T33—Generator Cleaning Needle (242-238) \$ .15  
T66—Generator (Gas Tip Marked "6") (242-299) .40

Parts No.	NAME OF PART	Net Retail Price
*117 - 144	Tip Protector and Screen	.15
223 - 538	Pump Check Valve	.30
*242 - 118	Fuel Tip (Marked "5")	.06
242 - 140	Filler Plug Complete	.30
242A 149	Fuel & Air Wire Complete (Fuel Tip Marked "L")	.30
242 - 165	Fount Complete	3.00
242 - 218	Gas Tip (Marked "6")	.06
242 - 304	Tip Cleaner Eccentric Block	.06
242 - 323	Burner Cap and Screen	.15
242 - 324	Burner Tube	.15
242 - 353	Tip Cleaner Stem Complete	.15
*242 - 370	Frame and Burner Complete	1.50
†242A 370	Frame and Burner Complete	1.50
*242 - 423	Bail	.15
†242A 423	Bail	.15
†242A 440	Ventilator Rod	.09
†242 - 441	Ventilator Ball Nut	.06
†242 - 484	Ventilator	.75
*242 - 485	Ventilator	.75
242A 489	Globe Base Rest	.15
242 - 518	Pump Leather Assembly	.15
242 - 520	Pump Plunger Complete	.45
242 - 603	Frame to Valve Connecting Stud	.06
242 - 607	Valve Body	.03
242 - 620	Valve Stem Packing	.03
242 - 653	Valve Stem Complete	.30
242A 657	Valve Complete	1.80
603 - 136	Filler Plug Gasket	.03
603 - 456	Hexagon Brass Nut ( $\frac{1}{4}$ "-18)	.03
605 - 210	Jamb Nut	.03

\*For No. 242.

†For No. 242A.

# NEW Coleman RAYON SILK-LITE MANTLES

MADE STRONGER • LAST LONGER • GIVE BETTER LIGHT

## TRIPLE LOCK STITCH—HEAVY DUTY TYPE

The new, heavy duty Coleman SILK-LITE Mantle sets a new Quality Standard in the mantle manufacturing industry. It's the latest Coleman achievement in producing a superior Grade "A" Mantle. Actual scientific tests prove that these new Coleman Silk-Lite Mantles last 2 to 4 times longer than ordinary mantles and produce as much as twice the light. They give the longest, best and lowest cost service:

Here are its more important special features which make it the most economical mantle to use on gasoline pressure lamps and lanterns.

1. Made of Highest Quality Rayon Fiber.
2. New Triple Lock Weave gives greater strength so that mantle lasts longer.



3. Best Grade of Chemicals in Correct Proportions produce maximum light; give mantle greater strength.
4. Correct Size so that all combustion takes place inside of mantle to produce the most light.
5. Correct Shape so that all of mantle area comes in contact with flame to produce greatest incandescence.

6. Correct Mesh of Weave permits sufficient air for perfect combustion inside mantle for greater lighting efficiency.

No. 21 Junior Silk-Lite Mantles are packed in gross size counter display cartons printed in black, red and green.

U. S. Retail Price—Per ½ Doz....45c Per Doz....90c

### Why COLEMAN MANTLES ARE BETTER

1. Scientifically correct in size, shape and weave to produce full brilliance.
2. Reinforced across bottoms where pressure is strongest.
3. No side seams to split or reduce brilliance.
4. Saturated with highest quality, light-giving chemicals.
5. Denitrated, moisture-proof—will not deteriorate.
6. Always uniform quality insures full candlepower light.

### IT PAYS TO SELL HIGH GRADE MANTLES

It is a wise policy to sell High Grade Coleman Mantles, because:

1. They are more profitable. The best grade mantles retailing 2 for 15c, carry a margin that is impossible in a cheaper mantle.
2. They give the longest, best and lowest cost service; make satisfied customers—bring repeat business.

## Coleman STANDARD COTTON MANTLES



These Coleman Standard Mantles, made of high-grade, long-fibre Cotton thread, are the original, genuine, high power Coleman Mantles. For more than 20 years they have been the leaders in every market of the world. They are saturated with the best of light-giving chemicals. Their size, shape and texture are just right for producing the wonderful brilliance which has made the Coleman Lamp so famous. They are reinforced for durability and denitrated (made moisture-proof) to eliminate deterioration in stock.

No. 41 Junior Standard Cotton Mantles come packed in gross size counter display containers printed in orange and purple.

U. S. Retail Price—Per ½ Doz....45c Per Doz....90c



## RAYTEX RAYON MANTLES

The new No. 31 Raytex Junior Mantle is a good quality mantle made of rayon fibre. Has durable construction: strong single weave of proper mesh, cross sewed across bottom, correct in size and shape. While No. 31 RAYTEX is not equal to other Coleman high quality mantles it will stand a higher test than some mantles sold in competition with Coleman No. 21 and No. 41 Juniors. It must necessarily be sold at a shorter profit so it is recommended that distributors offer it, but point out to purchasers the advantages of using high grade Coleman Mantles.

No. 31 RAYTEX Mantles come packed in gross size counter display containers printed in black and orange.

U. S. Retail Price—Per ½ Doz....30c Per Doz....60c



# Accessories and Supplies for Coleman Lamps and Lanterns

## FILTERING FUNNELS

(Schuyler Patent)



Removes dirt, water and other impurities from fuel used in pressure gas lamps, lanterns, stoves, heaters, etc. Copper-plated, non-corrosive.

Equipped with a fine brass-wire strainer and special filtering fabric.

### U. S. Retail Prices:


- No. 0 for Lamps and Lanterns, each.....45c  
 No. 1, for Heaters and Stoves, each.....90c  
 Extra Pads for No. 0, each.....15c  
 Extra Pads for No. 1, each.....36c

### Sizes:

- No. 0—2½-inch diameter.  
 No. 1 — 5-inch diameter.

## SUCTION PUMP


No. 627-590. The Coleman Suction Pump (shown at right). Removes dirty fuel from founts of lamps and lanterns, without built-in pumps, and from one gallon tanks on Stoves and Heaters. Consists of barrel and plunger of regular Coleman hand air-pump with 8-inch brass tube attached. U. S. Retail Price, each.....\$1.35



## FOUNT CLEANING TUBE

No. 199-910. Cleaning Tube is handy for cleaning out dirty fuel from founts of lamps and lanterns with built-in pumps. Fits readily in filler-opening when plug is removed. A few strokes of pump then ejects dirty fuel and sediment. U. S. Retail Price, each.....15c

## COLEMAN LAMP AND LANTERN GENERATORS



No. R55

### R-55 Rotary

The Jumbo-size generator that insures dependable lighting service. Special inside construction retards carbon formation. Lasts 3 to 5 times longer than ordinary generators. Built-in rotary lever operates tip cleaning needle. Fits all Coleman Quick-Lite Lamps and Lanterns and Instant-Lite Lamp Nos. 117, 118, 119, 132P, and Instant-Lite Lanterns 220 and 228. Retail Price each.....50c


Nos. R55 & T44 Accommodate More Different Grades of Fuel Fewer Generator Changes Greater Economy



No. T44

### T44 Roto-Type with Cleaning Needle

An over-size generator that gives long service. Has more space for carbonization. Equipped with gas tip cleaning needle operated by a rotary lever which is built in the burner. High grade materials and dependable construction insure long life. Fits Coleman Instant-Lite Lamp Nos. 117A, 118A, 119A, and Instant-Lite Lanterns Nos. 220B and 228B. Retail Price each.....35c



Q99

No. Q99 Coil Generator is standard equipment on all models of Quick-Lite Lamps and Lanterns except Nos. 130G, 130P and 131P. Has a high efficiency, stays hot, does not carbonize in any one spot. Recommended type for use on all Quick-Lite Models. U. S. Retail Price.....35c



No. Q77

No. Q77 Straight Generator. Standard equipment for Instant-Lite Lamp Models 117, 118, 119, and Lanterns 220 and 228. A high quality, popular priced generator especially useful where low grade fuels make frequent replacements necessary. U. S. Retail Price.....20c



No. T66

No. T66 Roto-Cleaning Generator. A Roto-Type Generator of genuine Coleman quality and service for use only on the Nos. 242 and 242A Coleman Instant-Lighting Lantern. Has automatic cleaning needle operated by a rotary lever. U. S. Retail Price.....35c


## PYREX and MICA GLOBES




No. 330—Made of genuine heat resisting Pyrex. For use on Coleman Instant-Lite Lanterns No. 220B and 228B. 4½ in. in diameter by 5¼ in. high. Shipping weight, 17 oz. U. S. Retail Price, each.....\$1.00



No. 550—Bulge type, Pyrex Glass Globe, for use only on Coleman Lantern Nos. 242 and 242A. 3½ in. in diameter by 4½ in. high. Packed as ordered; singles, one in carton. Shipping weight, 12 oz. U. S. Retail Price, each.....75c




No. 440—Mica Globe for use on Coleman Lantern Nos. 242 and 242A only; 4 in. in diam., 4½ in. high. Shipping weight, 12 oz. Retail Price each.....50c



No. 327—A 13-piece mica globe for use on Coleman Lanterns. 5¾ in. high by 4½ in. diameter. Shipping weight, 5 oz.; dozen, 2 lbs., 7 oz. U. S. Retail Price, each.....65c

## INSECT SCREENS



No. 310Q

No. 310Q for all Coleman Quick-Lite Lamps equipped with No. 101-363 Shade-Holder. U. S. Retail Price, each.....60c


No. 350A. For all Instant-Lite Lamps and Quick-Lite Lamps equipped with No. 117-342 Shade-Holder. U. S. Retail Price, each.....75c



No. 350A

## DIETZ LANTERNS

### LITTLE WIZARD, COLD BLAST



A big selling small lantern of the best cold blast type.

Fitted with Dietz Loc-Nob globe which cannot fall out when swung back for lighting. Safety inside lift braced to fount. Burner locked on with two lugs so that oil cannot spill if overturned.

Made of cold rolled steel and coated with grade "A" charcoal pure tin. Sturdy round and beaded tubes. Volume of light by test 6 candle-power.

Patented steel burner.

Per dozen

**Little Wizard**—11½ in. high; No. 201 burner, ⅝ in. wick; Little Wizard Loc-Nob globe; fount cap. 20 hrs.; wt. per doz. 24 lbs. ....\$18.50

**Little Wizard—With Ruby Globe**, otherwise same as above; wt. per dozen 24 lbs. .... 22.90

One dozen in a case.

### D-LITE, COLD BLAST



Embodies the latest ideas in high grade cold blast lanterns.

Fitted with Dietz Loc-Nob globe which cannot fall out when swung back for lighting, has wide opening for easy cleaning. Has new large fount holding one quart of oil; broad base prevents lantern being overturned. Burner is locked on fount so that oil cannot spill in case of accident.

Made of cold rolled steel and coated with grade "AZ" charcoal pure tin with roofing plate bottom. Volume of light by test 10 candle-power.

Patented steel burner.

Per dozen

**No. 2 D-Lite**—13½ in. high; No. 262 burner, 1 in. wick; D-Lite Loc-Nob globe; fount capacity 45 hrs.; wt. per doz. 11½ lbs. ....\$25.00

**No. 2 D-Lite—With Ruby Globe**, otherwise same as above; wt. per dozen 17½ lbs. .... 28.50

One-half dozen in a case.

## HIGHWAY FLARE TORCHES

### DIETZ

Built of steel to withstand the roughest usage. The all-weather steel burner is fitted with carrying loop automatic wick lock and adjustable rain shield. The flame burns perfectly with or without the rain shield.

Burns kerosene.



### Spherical Shape Weighted Bottom, Red Enameled

Will right itself when knocked down or skidded from position by a passing vehicle.

Per dozen

**No. 96**—Height 7½ in., diam. 7¼ in., cap. 3 qts., burns 36 hours on one filling, ⅞ in. round wick; wt. per dozen 84 lbs. ....\$28.00

One-quarter dozen in a carton.

### Hemispherical Shape, Flat Unweighted Bottom, Red Enameled

Per dozen

**No. 80**—Height 6 in., diameter 7¼ in., cap. 2½ qts., burns 30 hrs. on one filling, ⅞ in. round wick; wt. per dozen 32 lbs. ....\$19.00


One-quarter dozen in a case.

Per dozen

**Wicks**—⅞x18 in. round wicks, for highway flare torches ...\$2.40

## COLEMAN LAMP REPAIRS

### INSTANT-LITE



For Nos. 117A and 118A Lamps


Nos.	Name of Part	Ea.
T22	Generator cleaning needle...	\$0.15
T44	Generator and cleaning needle (less jamb nut) (gas tip marked "V")....	.35
†101-522	Pump ...	.75
104-326	Mixing chamber .....	.48
112-323	Burner cap and screens ....	.15
*115-136	Filler plug gasket ....2 for	.06
117-148	Fuel wire complete (fuel tip marked "p")..	.54
117-160	Fuel tube .....	.60
†117-164	Filler plug complete .....	.60
†117-165	Fount complete .....	5.40
117-342	Shade holders .....	.30

Nos.	Name of Part	Each
*118-140	Filler plug complete .....	\$0.48
*118-165	Fount complete .....	6.30
118B218	Gas tip (marked "V")....	.06
118B324	Burner tube .....	.15
118A357	Gas tip cleaner and fuel valve complete, assembled .....	1.20
118A399	Roto-Type burner, generator and valve complete, assembled .....	3.45
*118-520	Pump plunger complete (less air stem).....	.60
216-509	Pump Leather .....	.09
*216-532	Air stem .....	.15
*216-538	Check valve .....	.15
217-118	Fuel tip (marked "P") .....	.06
605-210	Jamb nut .....	.03
605-950	Wrench .....	.15

\* For lamps model No. 118A

† For lamp model No. 117A

### QUICK-LITE



For Nos. C329 and C362 Lamps

Nos.	Name of Part	Each
Q99	Coil generator (Gas tip marked "Q") (104-299)...	\$0.35
101-324	Burner Tube .....	.15
101-363	Shade Holder .....	.30
101-522	Pump .....	.75
104-132	Filler plug air stem .....	.18
104-136	Filler plug gasket .....	.2 for .06
104-164	Filler plug complete .....	.60
104-165	Fount complete .....	4.80
104-218	Gas tip (marked "Q") .....	.06
104-322	Air intake tube .....	.36
104-326	Mixing chamber .....	.48
104-399	Burner, generator and valve comp. assembled....	3.00
104-657	Fuel valve complete .....	.75
104-905	Gas tip cleaning needle .....	.06
104-950	Wrench .....	.15
112-323	Burner cap and screens .....	.15
216-509	Pump leather .....	.2 for .09